

SATO SAFETY BAND DT LINE – DT WRISTBANDS WITH ADHESIVE FASTENING FOR ADULTS

For stays in hospitals up to 1 week, soft and resistant wristbands!

SPECIFICATIONS

PRODUCT CHARACTERISTICS

| | |
|-----------------|---|
| Printing Method | Direct Thermal |
| Material | Anti-microbial synthetic polypropylene soft material |
| Closure Type | Adhesive closure with tamper evidence system |
| Resistance | Water, hot water, soap, hand sanitizer, solvents |
| Certifications | ISO 10993-5 (Cytotoxicity), ISO 22196 (Anti-microbial), Latex free, Phthalates free |


MEDIA CHARACTERISTICS

| | |
|---------------------------------|--------------------------------------|
| I-Mark position | Middle |
| Outer Diameter | Less than 110mm |
| Internal Core Diameter | 40mm |
| Packaging specifications | 100 wb/roll, 16 rolls per box |

PHYSICAL CHARACTERISTICS

| | |
|------------------------|-----------------------|
| Band Size | 292.1mm x 29mm |
| Print Area | 125mm x 29mm |
| Available Color | White |

LAYOUT



Copyrights

The contents of this document are proprietary information of SATO Corporation and/or its subsidiaries in Japan, the U.S and other countries. No part of this document may be reproduced, copied, translated or incorporated in any other material in any form or by any means, whether manual, graphic, electronic, mechanical or otherwise, without the prior written consent of SATO Corporation.

Limitation of Liability

SATO Corporation and/or its subsidiaries in Japan, the U.S. and other countries, makes no representations or warranties of any kind regarding this material, including, but not limited to, implied warranties of merchantability and fitness for a particular purpose. SATO Corporation shall not be held responsible for errors contained herein or any omissions from the materials or for any damages, whether direct, indirect, incidental or consequential, in connection with the furnishing, distribution, performance, or use of this material.

SATO Corporation reserves the right to change or improve this product and document without notice.

Trademarks

SATO is a registered trademark of SATO Corporation and/or its subsidiaries in Japan, the U.S and other countries.

© Copyright 2017 SATO Corporation. All rights reserved.

SATO SAFETY BAND DT LINE – DT WRISTBANDS WITH CLIP & ADHESIVE FASTENING FOR INFANTS

For stays in hospitals up to 1 week, soft and resistant
wristbands!

SPECIFICATIONS

PRODUCT CHARACTERISTICS

| | |
|-----------------|---|
| Printing Method | Direct Thermal |
| Material | Anti-microbial synthetic material, extra soft material for the clip closure model |
| Closure Type | Clip Closure (included) or adhesive closure with tamper evidence system |
| Resistance | Water, hot water, soap, hand sanitizer, solvents |
| Certifications | ISO 10993-5 (Cytotoxicity), Anti-microbial, Latex free, Phthalates free |

MEDIA CHARACTERISTICS


| | |
|--------------------------|--|
| I-Mark position | Middle |
| Packaging specifications | 100 wb/roll, 2 rolls/box (200 secure clips included with the Clip Closure model) |

PHYSICAL CHARACTERISTICS


| | |
|---------------------------|--------------|
| Band Size Infant Clip | 185mm x 19mm |
| Band Size Infant Adhesive | 200mm x 19mm |
| Available Color | White, Red |

LAYOUTS

Clip



Adhesive



Copyrights

The contents of this document are proprietary information of SATO Corporation and/or its subsidiaries in Japan, the U.S and other countries. No part of this document may be reproduced, copied, translated or incorporated in any other material in any form or by any means, whether manual, graphic, electronic, mechanical or otherwise, without the prior written consent of SATO Corporation.

Limitation of Liability

SATO Corporation and/or its subsidiaries in Japan, the U.S. and other countries, makes no representations or warranties of any kind regarding this material, including, but not limited to, implied warranties of merchantability and fitness for a particular purpose. SATO Corporation shall not be held responsible for errors contained herein or any omissions from the materials or for any damages, whether direct, indirect, incidental or consequential, in connection with the furnishing, distribution, performance, or use of this material.

SATO Corporation reserves the right to change or improve this product and document without notice.

Trademarks

SATO is a registered trademark of SATO Corporation and/or its subsidiaries in Japan, the U.S and other countries.

© Copyright 2017 SATO Corporation. All rights reserved.

SATO SAFETY BAND DT LINE – DT WRISTBANDS WITH CLIP FASTENING FOR ADULTS & INFANTS

For stays in hospitals up to 1 week, soft and resistant
wristbands!

SPECIFICATIONS

PRODUCT CHARACTERISTICS

| | |
|-----------------|---|
| Printing Method | Direct Thermal |
| Material | Anti-microbial synthetic polypropylene soft material |
| Closure Type | Clip Closure with anti-microbial Econano® soft clips |
| Resistance | Water, hot water, soap, hand sanitizer, solvents |
| Certifications | ISO 10993-5 (Cytotoxicity), ISO 22196 (Anti-microbial), Latex free, Phthalates free |

MEDIA CHARACTERISTICS


| | |
|-----------------------------------|--|
| I-Mark position | Middle |
| Outer Diameter | Less than 110mm |
| Internal Core Diameter | 40mm |
| Packaging specifications (Adult) | 100 wb/roll, 6 rolls per box, 2 bags of 300 anti-microbial Econano® soft clips |
| Packaging specifications (Infant) | 125 wb/roll, 8 rolls per box, 1,000 anti-microbial Econano® soft clips |

PHYSICAL CHARACTERISTICS


| | |
|--------------------|--|
| Band Size (Adult) | 295mm x 29mm (Print area 112mm x 29mm) |
| Band Size (Infant) | 170mm x 15mm (Print area 79mm x 15mm) |
| Available Color | White |

LAYOUTS

Adults



Infants/Children



Copyrights

The contents of this document are proprietary information of SATO Corporation and/or its subsidiaries in Japan, the U.S and other countries. No part of this document may be reproduced, copied, translated or incorporated in any other material in any form or by any means, whether manual, graphic, electronic, mechanical or otherwise, without the prior written consent of SATO Corporation.

Limitation of Liability

SATO Corporation and/or its subsidiaries in Japan, the U.S. and other countries, makes no representations or warranties of any kind regarding this material, including, but not limited to, implied warranties of merchantability and fitness for a particular purpose. SATO Corporation shall not be held responsible for errors contained herein or any omissions from the materials or for any damages, whether direct, indirect, incidental or consequential, in connection with the furnishing, distribution, performance, or use of this material.

SATO Corporation reserves the right to change or improve this product and document without notice.

Trademarks

SATO is a registered trademark of SATO Corporation and/or its subsidiaries in Japan, the U.S and other countries.

© Copyright 2017 SATO Corporation. All rights reserved.